

MADE IN ITALY. MADE TO EXCEL.

BOOST ICOR

Interactive version



STONE LOOK

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com

INDEX

- INSPIRATION
- ARCHEA X ATLAS CONCORDE
- IMAGE GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





ELEGANCE

TO LAST



INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INSPIRED BY

LIMESTONE

DUST

OYSTER

SIDERAL

BONE

CRETE

DUNE

SIX BRIGHT

SHADES

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



PLEASANT

INDOOR



INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



VIBRANT

OUTDOOR



NATURAL



RELIEF

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO




INSPIRED DESIGN

MARCO CASAMONTI / ARCHEA ASSOCIATI

Laura Andreini, Marco Casamonti, and Giovanni Polazzi, who graduated in Architecture from the University of Florence, founded Studio Archea in 1988. In 2001, Silvia Fabi joined the team, leading to the creation of Archea Associati. The firm has carried out projects worldwide and today has offices in Europe, China, the UAE, Brazil, and Albania. They have taken part in international competitions, earning several prestigious awards, and completing major projects such as the Antinori Winery and the Air Albania Stadium. In addition to design, they are actively involved in research and teaching, regularly publishing essays and magazines, and organizing exhibitions, events, and workshops in prestigious settings such as the Venice Biennale.

Laura Andreini, Marco Casamonti e Giovanni Polazzi, laureati in Architettura presso l'Università di Firenze, hanno fondato Studio Archea nel 1988. Nel 2001 si è unita a loro Silvia Fabi, dando vita ad Archea Associati. Lo studio ha realizzato progetti in tutto il mondo e oggi ha sedi in Europa, Cina, Emirati Arabi, Brasile e Albania. Hanno partecipato a concorsi internazionali e vinto diversi premi importanti, realizzando grandi progetti come le Cantine Antinori e l'Air Albania Stadium. Oltre alla progettazione, si dedicano attivamente alla ricerca e all'insegnamento, pubblicano saggi e riviste, e organizzano mostre, eventi e workshop in contesti prestigiosi, come la Biennale di Venezia.



Antinori
in the Chianti Classico
Italy >

ARCHEA ASSOCIATI X atlas concorde

Archea Associati has crafted six indoor-outdoor spaces, placing the diverse applications and compositional possibilities of Boost Icor at the heart of their creative process. Each detail is meticulously designed to highlight the material qualities of floors and coverings, seamlessly integrating them into modern architectural settings, and complemented by an extensive range of decorative elements. The design harmoniously blends functionality with aesthetics, allowing the ceramic products to stand out and impart a timeless sense of naturalness and elegance to the spaces.

Archea Associati ha concepito sei ambienti interni-esterni, mettendo al centro del processo creativo le molteplici possibilità di utilizzo e compositive offerte da Boost Icor. Ogni dettaglio è stato pensato per esaltare la matericità di pavimenti e rivestimenti in contesti architettonici dalla bellezza contemporanea, anche attraverso l'ampio apparato decorativo. Grazie ad una progettazione che fonde funzionalità ed estetica, il prodotto ceramico si rende protagonista, conferendo agli spazi una naturalità ed eleganza senza tempo.

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





IMAGE

- ↔ LIVING VILLA WITH EXTERIOR - BREATHING SPACES
- ↔ LIVING KITCHEN - NATURAL CONVIVIALITY
- ↔ BATHROOM - PERSONAL SPACE
- ↔ VILLA WITH POOL - GENTLE DELIGHT
- ↔ SPA - MOMENT IN TIME
- ↔ LOBBY RESORT - QUIET HOSPITALITY
- ↔ COMMERCIAL - BRAND ELEVATION

GALLERY

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO






Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

OUTDOOR FLOOR
Boost Icor
Dune

BREATHING



SPACES

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x120 (47 1/4" x 47 1/4")

OUTDOOR FLOOR
Boost Icor
Dune
Outdoor Sensitech - 20 mm
120x120 (47 1/4" x 47 1/4")

OUTDOOR FLOOR
Boost Icor
Dune Combo A
Outdoor Sensitech - 20mm
48.4x119 (19 1/8" x 46 7/8")

Boost Icor
Dune Combo B
Outdoor Sensitech - 20mm
42.5x119 (16 3/4" x 46 7/8")

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



^
INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x120 (47¹/₄"x94¹/₂")

WALL
Boost Icor
Dune Furnace
Mosaico Matte
30x19,5 (11³/₄"x7⁵/₈") >

INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x240 (47¹/₄"x94¹/₂") >





<
WALL
Boost Icor
Dune Furnace
Mosaico Matte
30x19,5 (11³/₄"x7⁵/₈"

^
INDOOR FLOOR
Boost Icor
Dune
Matte Sensitech
120x240 (47¹/₄"x94¹/₂"

Image gallery

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

FLOOR
Boost Icor
Sideral

NATURAL



CONVIVIALITY

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX	≡
INSPIRATION	>
ARCHEA X ATLAS CONCORDE	>
IMAGE GALLERY	>
LIVING VILLA WITH EXT. LIVING KITCHEN BATHROOM VILLA WITH POOL SPA LOBBY RESORT COMMERCIAL	
SURFACE RANGE & TECHNICAL SPECS	>
ENJOY THE VIDEO	▶

INDOOR FLOOR	WALL		COUNTERTOP
Boost Icor	Boost Icor	Boost Icor	Atlas Plan
Sideral	Dust	Dust Furnace	Boost Icor Bone
Matte Sensitech	Matte	Mosaico Matte	Hammered ± 12 mm
120x120 (47 ¹ / ₄ "x47 ¹ / ₄ ")	120x278 (47 ¹ / ₄ "x109 ¹ / ₂ ")	30x19,5 (11 ¹³ / ₁₆ "x7 ¹¹ / ₁₆ ")	162x324 (63 ³ / ₄ "x127 ¹ / ₂ ")



OUTDOOR FLOOR
Boost Icor
Sideral
Outdoor Sensitech ✖ 20 mm
120x120 (47¹/₄"x47¹/₄")

WALL
Boost Icor
Dust Furnace
Mosaico Matte
30x19,5 (11¹³/₁₆"x7¹¹/₁₆")



Image gallery

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

FLOOR
Boost Icor
Dust

PERSONAL



SPACE

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM

VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



11

>

>

>

BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

>

VANITY UNIT | ARMONIA
Atlas Concorde Habitat
Boost Icor Dust
Matte
Rectangular Basin White Matte
120x45x53 (47¹/₄"x17³/₄" x20⁷/₈")

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



^
FLOOR
Boost Icor
Dust
Matte Sensitech
60x120 (23⁵/₈"x47¹/₄")
WALL
Boost Icor
3D Wheat Dust
Matte
50x120 (19⁵/₈"x47¹/₄") >





FLOOR
Boost Icor
Oyster

GENTLE



DELIGHT

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR

Boost Icor
Oyster Pebble A+B
Outdoor Sensitech $\pm$ 20 mm
59,5x59,5 (23³/₈"x23³/₈")

Boost Icor
Oyster
Outdoor Sensitech $\pm$ 20 mm
120x120 (47¹/₄"x47¹/₄")

Boost Icor
Oyster Elemento L
Outdoor Sensitech $\pm$ 20 mm
33x120 (13"x47¹/₄")

Boost Icor
Oyster Alzata 20x120 SP
Outdoor Sensitech $\pm$ 20 mm
20x120 (7⁷/₈"x47¹/₄")



OUTDOOR FLOOR
Boost Icor
Oyster
Outdoor Sensitech ✱ 20 mm
120x120 (47¹/₄"x47¹/₄")



Image gallery

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
OUTDOOR FLOOR
Boost Icor
Oyster
Outdoor Sensitech $\pm$ 20 mm
120x120 (47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ ")

>
WALL
Boost Icor
Dust
Matte
120x278 (47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ ")

>
FLOOR
Boost Icor
Oyster
Matte Sensitech
120x120 (47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ ")



INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

FLOOR
Boost Icor
Bone

MOMENT



IN TIME

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



WALL
Boost Icor
Bone
Matte
120x278 (47¹/₄"x109¹/₂")

Boost Icor
Bone Railway
Matte Sensitech
60x120 (23⁵/₈"x47¹/₄")

Boost Icor
3D Masonry Bone
Matte
50x120 (19⁵/₈"x47¹/₄")

FLOOR
Boost Icor
Bone
Outdoor Sensitech $\pm$ 20 mm
120x120 (47¹/₄"x47¹/₄")

Boost Icor
Bone Round
Outdoor Sensitech $\pm$ 20 mm
33x120 (13"x47¹/₄")



INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



OUTDOOR FLOOR
**Boost Icor
Bone**
Outdoor Sensitech $\pm$ 20 mm
120x120 (47¹/₄"x47¹/₄")



FLOOR
**Boost Icor
Bone**
Outdoor Sensitech $\pm$ 20mm
120x120 (47¹/₄"x47¹/₄")



WALL
**Boost Icor
3D Masonry Bone**
Matte
50x120 (19⁵/₈"x47¹/₄")



Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

FLOOR
Boost Icor
Sideral

QUIET



HOSPITALITY

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX	≡
INSPIRATION	>
ARCHEA X ATLAS CONCORDE	>
IMAGE GALLERY	>
LIVING VILLA WITH EXT. LIVING KITCHEN BATHROOM VILLA WITH POOL SPA LOBBY RESORT COMMERCIAL	
SURFACE RANGE & TECHNICAL SPECS	>
ENJOY THE VIDEO	▶

INDOOR FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47¹/₄"x47¹/₄")

WALL
Boost Icor
Oyster
Matte
120x278 (47¹/₄"x109¹/₄")

COUNTERTOP
Atlas Plan
Boost Icor Bone
Hammered $\pm$ 12 mm
162x324 (63³/₄"x127¹/₂")

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



^
WALL
Boost Icor
Oyster Chevron
Matte
30,5x35,6 (1¹/₆₄"x12¹/₆₄"

^
FLOOR
Boost Icor
Sideral
Matte Sensitech
120x120 (47¹/₄"x47¹/₄"

^
WALL
Boost Icor
Oyster
Matte
120x278 (47¹/₄"x47¹/₄"





Space designed by
MARCO CASAMONTI / ARCHEA ASSOCIATI

FLOOR
Boost Icor
Crete

BRAND



ELEVATION

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR

Boost lcor
Crete

Matte Sensitech

120x120 (47 1/4"x47 1/4")

WALL

Boost lcor
Bone

Matte

120x278 (47 1/4"x109 1/2")

Log

Icon Oak

Matte

120x278 (47 1/4"x109 1/2")



<
FLOOR
Boost Icor
Crete
Matte Sensitech
120x120 (47¹/₄"x47¹/₄")



^
WALL
Boost Icor
Bone
Matte
120x278 (47¹/₄"x109¹/₂")

Log
Icor Oak
Matte
120x278 (47¹/₄"x109¹/₂")

Image gallery

INDEX 

INSPIRATION >

ARCHEA X
ATLAS CONCORDE >

IMAGE
GALLERY >

LIVING VILLA WITH EXT.
LIVING KITCHEN
BATHROOM
VILLA WITH POOL
SPA
LOBBY RESORT
COMMERCIAL

SURFACE
RANGE &
TECHNICAL
SPECS >

ENJOY
THE VIDEO 



SURFACE RANGE &

- BOOST ICOR RANGE
- SENSITECH TECHNOLOGY
- TECHNICAL SPECIFICATIONS
- BOOST WORLD

TECHNICAL SPEC.

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Bone	Dust	Dune	Crete	Oyster	Sideral
Floor	Wall	Bathroom furniture					
160x320 cm ** - 63 ³ / ₄ "x126"	± 6 mm	Hammered		Hammered			
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	Matte	Matte	Matte		Matte	
120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech		Matte Sensitech	
75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm Railway * - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Matte Sensitech					
Slabs for Countertops							
› Non rectified - non rettificato							
162x324 cm ** - 63 ⁵ / ₈ "x127"	± 12 mm	Hammered		Hammered			
Outdoor							
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech		Grip Sensitech	
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm	Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech		Outdoor Sensitech	
60x120 cm Railway * - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm	Grip Sensitech					

* Graphic decor. Misalignments in the continuity between different patterns is normal for this type of product. Decoro grafico. Eventuali disallinesamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto.

** Atlas Plan

Destination of use



Matte ± 6 mm



Matte [Sensitech](#) ± 9 mm
Grip [Sensitech](#) ± 9 mm
Outdoor [Sensitech](#) ± 20 mm

Anti-slip



R9 A Matte ± 6 mm
R10 A+B Matte [Sensitech](#) ± 9 mm
R11 C Grip [Sensitech](#) ± 9 mm
R11 C Outdoor [Sensitech](#) ± 20 mm

Color-shading

V3 Moderate Variation
All colors

Wall tiles



WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		Bone	Dust
Wall			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Field	± 8,5 mm	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Wheat	± 10 mm	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Masonry	± 10 mm	Matte	Matte

V3 Moderate Variation
All colors

Sensitech pag.77

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST ICOR RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



3D Masonry


WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



50x120 cm
19⁵/₈"x47¹/₄"
± 10 mm



V3 Moderate Variation
All colors



Boost Icor 3D Masonry
Bone
50x120 cm (19⁵/₈"x47¹/₄")
± 10 mm



Boost Icor 3D Masonry Dust
Dust
50x120 cm (19⁵/₈"x47¹/₄")
± 10 mm



V3 Moderate Variation
All colors

3D Wheat

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



50x120 cm
19⁵/₈"x47¹/₄"
± 10 mm



Boost Icor 3D Wheat
Bone
50x120 cm (19⁵/₈"x47¹/₄")
± 10 mm



Boost Icor 3D Wheat
Dust
50x120 cm (19⁵/₈"x47¹/₄")
± 10 mm



INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST ICOR RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Mosaico Chevron

PORCELAIN TILES – Gres porcellanato – Grès cérame – Feinsteinzeug – Gres porcelánico – Керамический гранит





Boost Icor
Mosaico Chevron
Bone
30,5x35,6 cm (12"x14")



Boost Icor
Mosaico Chevron
Dust
30,5x35,6 cm (12"x14")



Boost Icor
Mosaico Chevron
Dune
30,5x35,6 cm (12"x14")



Boost Icor
Mosaico Chevron
Crete
30,5x35,6 cm (12"x14")



Boost Icor
Mosaico Chevron
Oyster
30,5x35,6 cm (12"x14")




Boost Icor
Mosaico Chevron
Sideral
30,5x35,6 cm (12"x14")

V3 Moderate Variation
All colors



Mosaico Furnace

PORCELAIN TILES – Gres porcellanato – Grès cérame – Feinsteinzeug – Gres porcelánico – Керамический гранит





Boost Icor Mosaico
Furnace
Bone
30x19,5 cm (11 3/4" x 7 5/8")



Boost Icor
Mosaico Furnace
Dust
30x19,5 cm (11 3/4" x 7 5/8")



Boost Icor
Mosaico Furnace
Dune
30x19,5 cm (11 3/4" x 7 5/8")



Boost Icor
Mosaico Furnace
Crete
30x19,5 cm (11 3/4" x 7 5/8")



Boost Icor
Mosaico Furnace
Oyster
30x19,5 cm (11 3/4" x 7 5/8")



Boost Icor
Mosaico Furnace
Sideral
30x19,5 cm (11 3/4" x 7 5/8")


V3 Moderate Variation
All colors



Pebble A+B - 9 mm

Grip *Sensitech*

PORCELAIN TILES – Gres porcellanato – Grès cérame – Feinsteinzeug – Gres porcelánico – Керамический гранит



59,5x59,5 cm
23³/₈"x23³/₈"
± 9 mm
Pebble A: 0.259 mq
Pebble B: 0.252 mq



Boost Icor Pebble A+B
Bone
59,5x59,5 cm - 23³/₈"x23³/₈"
Grip *Sensitech*
± 9 mm
Outdoor *Sensitech*
± 20 mm



Boost Icor Pebble A+B
Dust
59,5x59,5 cm - 23³/₈"x23³/₈"
Grip *Sensitech*
± 9 mm
Outdoor *Sensitech*
± 20 mm



Boost Icor Pebble A+B
Dune
59,5x59,5 cm - 23³/₈"x23³/₈"
Grip *Sensitech*
± 9 mm
Outdoor *Sensitech*
± 20 mm



Boost Icor Pebble A+B
Oyster
59,5x59,5 cm - 23³/₈"x23³/₈"
Grip *Sensitech*
± 9 mm
Outdoor *Sensitech*
± 20 mm


V3 Moderate Variation
All colors

V3 Moderate Variation
All colors

Pebble A+B - 20 mm

Outdoor *Sensitech*

PORCELAIN TILES – Gres porcellanato – Grès cérame – Feinsteinzeug – Gres porcelánico – Керамический гранит



59,5x59,5 cm
23³/₈"x23³/₈"
± 20 mm
Pebble A: 0.259 mq
Pebble B: 0.252 mq



INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST ICOR RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD


ENJOY
THE VIDEO



Combo A+B - 20 mm

Outdoor Sensitech

PORCELAIN TILES – Gres porcellanato – Grès cérame – Feinsteinzeug – Gres porcelánico – Керамический гранит



Combo A
48,4x119 cm
19 1/8" x 46 7/8"

Combo B
42,5x119 cm
16 3/4" x 46 7/8"



± 20 mm ± 20 mm




Boost Icor Combo A+B
Bone
Outdoor Sensitech



Boost Icor Combo A+B
Dust
Outdoor Sensitech

V3 Moderate Variation
All colors



Boost Icor Combo A+B
Dune
Outdoor Sensitech



Boost Icor Combo A+B
Oyster
Outdoor Sensitech

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS




BOOST ICOR RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD

ENJOY
THE VIDEO



Trim tiles

Porcelain trim tiles




✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione

Wall trim tiles



Outdoor trim tiles ± 20 mm




- ✓ Available in / Disponibile in Dust, Bone, Dune, Oyster
- ✓ These parts are supplied to order / I pezzi sono disponibili su ordinazione
- ♦ Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx

Outdoor Porcelain tiles ± 20 mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde.

Sensitech



Traditional anti-slip surface

The innovative Sensitech Surface

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.



Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. -Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

INDEX



INSPIRATION



ARCHEA X
ATLAS CONCORDE



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



BOOST ICOR RANGE
SENSITECH TECHNOLOGY
TECHNICAL SPECIFICATIONS
BOOST WORLD


ENJOY
THE VIDEO



Porcelain tiles - Rectified monocaliber		Gres porcellanato – Rettificato monocalibro			
	Compliant with standards EN 14411 annex G group B1a	160x320 cm - 63 ³ / ₈ "x126"	± 6 mm	60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 9 mm
	Compliant with standards ISO 13006 annex G group B1a	120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm	30x60 cm - 11 ¹ / ₄ "x23 ³ / ₈ "	± 9 mm
	Conforme alla norma EN 14411 Appendice G gruppo B1a	120x240 cm - 47 ¹ / ₄ "x94 ¹ / ₂ "	± 9 mm	162x324 cm - 63 ³ / ₈ "x127"	± 12 mm
	Conforme alla norma ISO 13006 Appendice G gruppo B1a	75x150 cm - 29 ¹ / ₂ "x59"	± 9 mm	120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm
		120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm	80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm
		80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm	60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 20 mm
		60x120 cm - 23 ³ / ₈ "x47 ¹ / ₄ "	± 9 mm	60x60 cm - 23 ³ / ₈ "x23 ³ / ₈ "	± 20 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Porcelain tiles							
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm				
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)								
			± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
			± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
			± 0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
	Straightness of sides Rettilineità degli spigoli	ISO 10545-2	± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
			± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
			c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
			e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect.	e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.								
	Rectangularity Ortogonalità	ISO 10545-2	w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme				
			w. ± 0,8 Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.								
			E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%							≤ 0,1%	≤ 0,1%	≤ 0,1%	≤ 0,1%
			Requirement ANSI A137.1-2017 Water absorption max ≤ 0,5% S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)							≤ 0,5%	≤ 0,5%	≤ 0,5%	≤ 0,5%
	Breaking strength Sforzo di rottura	ISO 10545-4	Requirement ANSI A137.1-2017 Water absorption max ≤ 0,5% S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥1000 N	S ≥1500 N	S ≥1500 N	S ≥10000 N				
			R ≥ 35 N/mm ²			R≥40 N/mm ²	R≥40 N/mm ²	R≥40 N/mm ²	R≥45 N/mm ²				
			-			-	-	-	≥ T11 60x60 ≥ U4 60x120 ≥ U7 30x60				
			-			-	-	-	-				
	Modulus of rupture Resistenza alla flessione	EN 1339 Annex F	-			-	-	-	≥ T11 60x60 ≥ U4 60x120 ≥ U7 30x60				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4/5)	ISO 10545-5	Declared value Valore dichiarato			≥0,55	≥0,55	≥0,55	≥0,55				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥0,55	≥0,55	≥0,55	≥0,55				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤150mm ³	≤150mm ³	≤150mm ³	≤150mm ³				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤7MK ⁻¹	≤7MK ⁻¹	≤7MK ⁻¹	≤7MK ⁻¹				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)	≥ 10 N/mm ² (Class C2 - EN 12004)				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _{fl} Classe A1 oppure A1 _{fl}			A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}	A1 - A1 _{fl}				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata			LA	LA	LA	LA				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali	ISO 10545-13	Declared Class Classe dichiarata			HA	HA	HA	HA				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Shod Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9	R10	R11	R11				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	BS EN 16165 ANNEX C (EX BS 7976)	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(●)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Pendulum Friction Test Metodo del Pendolo	AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(●●)	Class P3	Class P4	Class P4				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(●●●)	Class C2	Class C3	Class C3				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ ≥ 0,40 per elemento sovrallante cuoio su pavimentazione asciutta μ ≥ 0,40 per elemento sovrallante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				
	Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	dry DCOF ≥ 0,55				
			-			-	-	-	-				
			-			-	-	-	-				
			-			-	-	-	-				

BOOSTWORLD



Boost your style

Boost World is a design tool that combines ceramic surfaces in their inspiration, style, and tone, allowing for coordinated solutions in any space.

Boost World è uno strumento progettuale che coniuga in un’unica prospettiva superfici ceramiche differenti per ispirazione ma affini per stile e tonalità, consentendo soluzioni coordinate in ogni destinazione d’uso.

DISCOVER
BOOST WORLD



Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product declarations / Dichiarazioni di prodotto




Certifications for export to international markets*



Product certifications / Certificazioni di prodotto



Certification for buildings / Rating dell'edificio



Ratings and Memberships



* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024
⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>
⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it
⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.
All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.



atlasconcorde.com

Copyright 2025 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
August 2025